



RUDNICI MRKOG UGLJA «BANOVIĆI» d.d. BANOVIĆI
Ulica Armije BiH 52, 75290 Banovići; Bosna i Hercegovina;
Telefoni-Centrala: 00387 35 870-600; 875-010; Fax: 00387 35 875-166
Rješenje Kantonalnog suda Tuzla br: U/I-0891/98. ID PDV broj: 209329530001
Identifikacijski broj: 4209329530001 Porezni broj: 03421100
www.rmub.ba



Broj: I - 168 /25

Banovići, 30.04 2025.godine



ZAHTJEV ZA DOSTAVLJANJE PONUDA

U prilogu akta dostavljamo Vam Obrazac za cijenu ponude za robu pod nazivom:
ORIGINALNI REZERVNI DIJELOVI ZA DROBILICU SIZER TIP: S7L20, SER.Br. HPD 140 25/HLLB300 u svrhu provjere tržišta-informativna ponuda.

Zainteresovani ponuđači dostavljaju uredno popunjen obrazac za cijenu ponude iz priloga ovog zahtjeva do određenog roka na e-mail Ugovornog organa: mugdin.jn@gmail.com

Rok za dostavljanje ponude je 08.05. 2025.godine do 12 sati.

Ponudu odnosno uredno popunjen obrazac iz priloga zahtjeva dostaviti na e-mail: mugdin.jn@gmail.com sa pozivom na broj Zahtjeva za dostavu ponuda I- 168 /25 i nazivom predmeta nabavke.

Kontakt telefon / fax: 035 / 870 – 356, 035 / 870 – 410.

S poštovanjem!

Predsjednik komisije za javne nabavke


Mugdin Husić, dipl.ecc

Transakcijski računi:

161 0250 007 190075 Raiffeisen bank d.d. BiH, filijala Tuzla
132 1300 309 179345 NLB Banka d.d. Tuzla, filijala Banovići
187 2000 000 044917 Postbank BH d.d. Sarajevo, filijala Živinice
154 3602 003 310866 Intesa Sanpaolo banka d.d. BiH
555 0530 049 467130 Nova banka AD Banja Luka, ekspozit. Tuzla

306 0450 000 163538 Hypo Alpe Adria bank Bosnia d.d.
140 4010 018 681113 Sberbank BH d.d. Sarajevo
186 0001 048 962098 Turkish Ziraat bank Bosnia d.d.
338 4402 212 197081 UniCredit banka d.d. Mostar

OBRAZAC ZA CIJENU PONUDE

NAZIV PONUĐAČA: _____

Naziv nabavke: **ORIGINALNI REZERVNI DIJELOVI ZA DROBILICU SIZER TIP: S7L20, SER.Br. HPD 140 25/HLLB300**

Broj Zahtjeva I- _____/25

Broj ponude: _____

	Naziv	Kataloški broj Broj crteža	Zemlja porijekla i proizvođač	Jedinica mjere	Jedinična cijena bez PDV-a (valuta)
	Podloška, Flat M42	30-8477_42		kom	
2.	Navrtka M42 kv.8	30-0305_M42_HEX		kom	
3.	Čep sa oduškom M24x1,5	CH-PLM24		kom	
4.	Navrtka M36 kv. 12	CH-NM36		kom	
5.	Zaptivka kućišta zadnjeg ležaja	S7 18245 1A 3D 00 00 00		kom	
6.	Poklopac kućišta ležaja	CA S7L20 1S 8M 00 00 00		kom	
7.	O-Ring Ø230x5mm	CH-OR 230/5		kom	
8.	O-Ring Ø290x5mm	CH-290 290/5		kom	
9.	Semering 270-15	CH-OLS/270		kom	
10.	Sklop mehanizma za podizanje točkova	CH-WHASS CA S7L20 9S 00 00 00 00		kom	
11.	Sklop hidraulične ručne pumpe	CH-HYDP		kom	
12.	Sklop okvira motora	CH-2S 1S CP S7L20 2S 1S 1M 00 00		kom	
13.	Vijak M36x150 kv. 10.9	CH-M36/150		kom	
14.	Nosač mehaničkog prekidača	CH-2S 1W CA S7L20 2S 2S 1W 00 00		kom	
15.	Nosač senzora brzine	CH-5S 1W CP S7L20 2S 5S 1W 00 00		kom	
16.	Vijak M36x180 kv. 10.9	CH-M36/180		kom	
17.	Navrtka M36 kv. 10	CH-NM36		kom	
18.	Vijak M36x240 kv. 10.9	Ch-M36/240		kom	
19.	Elektromotor 250kw	CH-ELE250		kom	
20.	Prirubnica motora	CH-ELEAD CP S7L20 2S 1S 3M 00 00		kom	
21.	Senzor broja obrtaja	CH-5S 1W/S		kom	
22.	Mehanički prekidač	CH-MTS		kom	
23.	Reduktor	CH-HDP140		kom	
24.	Nazubljeno vratilo	CH-2S 3M CA S7L20 2S 3M 00 00 00		kom	
25.	Klin	CH-2S 8M CA S7L20 2S 8M 00 00 00		kom	

26.	Vijak M20x40 kv. 10.9	CH-KYHDP		kom	
27.	Poklopac vratila	CH-2S 7M CA S7L20 2S 7M 00 00 00		kom	
28.	Vijak M20x55 kv.10.9	CH-M20/55		kom	
29.	Podloška	CH-2S 9M CA S7L20 2S 9M 00 00 00		kom	
30.	Hidrodinamička spojnica Voith V562TV	30-8526_562TV85		kom	
31.	Kandža ST300MA	30-8526_562_ALUF		kom	
32.	Uložak spojnice ST300	30-8526_562_RUB		kom	
33.	Kandža ST300 VDC	30-8526_562_SVHUB		kom	
34.	Čep, osigurač 160° - zeleno	30-8526-160F		kom	
35.	Prekidač, mikrotermalni 140° - crveno	30-8526-MTS		kom	
36.	Čep, odvod/dopuna ulja	CH-VOITHC/P		kom	
37.	Sklop rotora	CH-1M AR CP S7L20 3S 1S 1M AT 00		kom	
38.	Osovina rotora L			kom	
39.	Čahura	CH-1S 1M CP S7L20 3S 1S 2M 00 00		kom	
40.	Čahura	CH-1S 4M CP S7L20 3S 1S 4M 00 00		kom	
41.	Segment rotora - 9 zuba	CH-20 1D CP S7SEG 35 20 1D 00 00 00		kom	
42.	Odstojnik rotora 50mm	CH-2S 1D CP S7SPA 35 25 1D 00 00 00		kom	
43.	Stezni prsten	CH-2S 5S CP S7L20 3S 5S 00 00 00		kom	
44.	Vijak M24x160 kv.12.9	CH-M24/160		kom	
45.	Stezni prsten	CH-3S 6S CP S7L20 3S 6S 00 00 00		kom	
46.	Sklop kućišta ležaja - NDE	CH-3S 2S CP S7L20 3S 2S 00 00 00		kom	
47.	Sklop kućišta ležaja - DE	CH-3S 2S CP S7L20 3S 2S 00 00 00		kom	
48.	Zupčanik - LH	CH-TIME/LH		kom	
49.	Zupčanik	CH-3S 4S CP S7L20 3S 4S 00 00 00		kom	
50.	Poklopac zupčanika	CH-3S 8M CP S7L20 3S 8M 00 00 00		kom	
51.	Podloška - osigurač	CH-3S 10M CP S7L20 3S 10M 00 00 00		kom	
52.	Vijak M20x60 kv.12.9	CH-M20/160		kom	

53.	Sklop rotora	CH-1M AT CP S7L20 3S 1S 1M AT 00		kom	
54.	Osovina rotora D			kom	
55.	Čahura	CH-1S 2M CP S7L20 3S 1S 2M 00 00		kom	
56.	Čahura	CH-1S 4M CP S7L20 3S 1S 4M 00 00		kom	
57.	Segment rotora 9 zuba	CH-20 1D CP S7SEG 35 20 1D 00 00 00		kom	
58.	Odstojnik rotora 50mm	CH-25 1D CP S7SPA 35 25 1D 00 00 00		kom	
59.	Stezni prsten	CH-3S 5S CP S7L20 3S 5S 00 00 00		kom	
60.	Vijak M24x160 kv. 12.9	CH-M24/160		kom	
61.	Stezni prsten	CH-3S 6S CP S7L20 3S 6S 00 00 00		kom	
62.	Sklop kućišta ležaja - NDE	CH-3S 2S CP S7L20 3S 2S 00 00 00		kom	
63.	Sklop kućišta ležaja - DE	CH-3S 2S CP S7L20 3S 2S 00 00 00		kom	
64.	Zupčanik - D	CH-TIME/RH		kom	
65.	Zupčanik	CH-3S 4S CP S7L20 3S 4S 00 00 00		kom	
66.	Poklopac zupčanika	CH-3S 8M CP S7L20 3S 8M 00 00 00		kom	
67.	Podloška - osigurač	CH-3S 10M CP S7L20 3S 10M 00 00 00		kom	
68.	Vijak M20x60 kv.12.9	CH-20/60		kom	
69.	Spojница	CH-3S 7M CP S7L20 3S 7M 00 00 00		kom	
70.	Podloška - osigurač	CH-3S 11M CP S7L20 3S 11M 00 00 00		kom	
71.	Vijak M24x140 kv. 12.9	CH-M24/140		kom	
72.	Prekidač 3VA2 IEC 630 A class M, Icu=55 kA, 415 V, 3 – pole,line protection ETU 350 , LSI, In=630A overload protection Ir=250A....630A short-circuit protection Isd=1,5....9xIr, li=9xln nut keeper kit	3VA2 463-5HN32-0AA0		kom	
73.	Kontaktor, AC-3e/AC-3 500A, 250 kW/400 VAC (50-60 Hz)/DC Uc:220-240 V 3-pole, auxiliary contacts 2NO + 2NC	3RT1076-6AP36		kom	

	drive: conventional main circuit: busbar control and auxiliary circuit: screw terminal				
74.	Napojna jedinica SITOP PSU100L 24 V/10A Stabilized power supply input: 120/230 V AC, output DC 24V/10A	6EP1334-1LB00		kom	
75.	Odvodnik prenapona , Low voltage, Surge protection, with remote contact, TN-C, VPU AC II 3 R 300/50	2591170000		kom	
76.	SIRIUS safety relay Basic unit Standard series Relay enabling circuits 3 NO contacts plus Relay signaling circuit 1 NC contact Us=24 V AC/dc screw terminal	3SK1111-1AB30		kom	
77.	SIMATIC S/-1200,CPU 1214C, compact CPU, DC/DC/DC, onboard I/O: 14 DI 24V DC; 10 DO 24 V DC; 2 AI 0-10 V DC, Power supply: DC 20.4-28.8 V DC, Program/data memory 100 KB	6ES7214-1AG40-0XB0		kom	
78.	ET 200SP, IM 155-6 PN ST incl. BA 2xRJ45 SIMATIC ET 200SP,bundle PROFINET interface module IM 155-6 PN ST, max 32 I/O module, and 16 ET 200AL modules , multi hot swap, optional PN strain relief, PN security class 1, bundle consists of: interface module (6ES7155-6AU02-0BN0), server module (6ES7193-6PA00-0AA0), SIMATIC bus adapter BA 2x RJ45 (6ES7193-6AR00-0AA0)	6ES7155-6AA02-0BN0		kom	
79.	SIMATIC ET 200SP, BusAdapter BA 2xRJ45, 2 RJ45 sockets	6ES7193-6AR00-0AA0		kom	
80.	ET 200SP, DI 8x24 V DC Basic, PU 1 SIMATIC ET 200SP, Digital input module, DI 8x24 V DC Basic, type 2 (IEC 61131), sink input, (PNP, P-reading), Packing unit: 1 piece, fits to BU-type A0, Colour Code CC01, input delay time 0,05..20 ms, module	6ES7131-6BF01-0AA0		kom	

	diagnostic for supply voltage				
81.	BaseUnit Type A0, BU15-P16+A0+2D SIMATIC ET 200SP, BaseUnit BU15-P16+A0+2D, BU type A0, push-in terminals, without aux.terminals, new load group, WxH: 15x117 mm	6ES7193-6BP00-0DA0		kom	
82.	BaseUnit Type A0, BU15-P16+A0+2B SIMATIC ET 200SP, BaseUnit BU15-P16+A0+2B, BU type A0, push-in terminals, without aux.terminals, bridged to the left, WxH: 15x117 mm	6ES7193-6BP00-0BA0		kom	
83.	ET 200SP, AI 4xU/I 2-Wire ST, PU 1 SIMATIC ET 200SP, Analog input module, AI 4xU/I, 2-Wire standard, Packing unit: 1 piece, fits to BU-type A0, A1, Colour Code CC03, module diagnosis, 16 BIT, +/-0,3%	6ES7134-6HD10-0BA1		kom	
84.	ET 200SP, AI 4xRTD/TC 2-/3-/4-Wire HF SIMATIC ET 200SP, Analog input module, AI 4xRTD/TC High Feature, suitable for BU-type A0, A1, Colour Code CC00, channel diagnostics, 16 BIT, +/-0,1%, 2-/3-/4-wire	6ES7134-6JD00-0CA1		kom	
85.	ET 200SP, DQ 8x24 V DC/0,5 A Basic, PU 1 SIMATIC ET 200SP, Digital output module, DQ 8x24 V DC/0,5A Basic, Source output (PNP, P-switching), Packing unit: 1 piece, fits to BU-type A0, Colour Code CC02, substitute value output, module diagnostic for supply voltage	6ES7132-6BF01-0AA0		kom	
86.	ET 200SP, RQ NO 4x120 V DC..230 V AC/5 A, PU1 SIMATIC ET 200SP, Relay module , RQ NO 4x120 V DC..230 V AC/5 A, ST.4 normally open contacts, isolated contacts, Packing unit: 1 piece, fits to BU-type B0	6ES7132-6HD01-0BB1		kom	

	and B1,, Colour Code CC40, substitute value output, module diagnostic for supply voltage				
87.	BaseUnit Type B0, BU20-P12+A4+0B SIMATIC ET 200SP, BaseUnit BU20-P12+A4+0B, BU type B0, push-in terminals, with 4 aux.terminals, bridged to the left, WxH: 20x117 mm	6ES7193-6BP20-0BB0		kom	
88.	EMERGENCY STOP mushron pushbutton, 22 mm, round, plastic, red, 60 mm, positive latching, acc. To EN ISO 13850, rotate-to-unlatch	3SU1000-1JB20-0AA0		kom	
89.	Contact module with 1 contact element, 1 NC, screw terminal, for front plate mounting	3SU1400-1AA10-1CA0		kom	
90.	Holder, 3-way, plastic	3SU1500-0AA10-0AA0		kom	
91.	Label holder, 22 mm, frame rectangular at the bottom, black, for labeling plate 17.5 mmx27 mm, for gluing	3SU1900-0AP10-0AA0		kom	
92.	Labeling plate for snapping on our gluing on label holder, Label size 17.5 x 27 mm, silver label, black font, without inscription, for self-labeling	3SU1900-0AD81-0AA0		kom	
93.	Push button, 22 mm, round, plastic, green, pushbutton, flat momentary contact type	3SU1000-0AB40-0AA0		kom	
94.	Contact module with 1 contact element, 1 NO, screw terminal, for front plate mounting	3SU1400-1AA10-1BA0		kom	
95.	Push button, 22 mm, round, plastic, blue, pushbutton, flat momentary contact type	3SU1000-0AB50-0AA0		kom	
96.	Push button, 22 mm, round, plastic, red, pushbutton, flat momentary contact type	3SU1000-0AB20-0AA0		kom	
97.	Indicator lights, 22 mm, round, plastic, green, lens, smooth	3SU1001-6AA40-0AA0		kom	
98.	Indicator lights, 22 mm, round, plastic, red, lens, smooth	3SU1001-6AA20-0AA0		kom	

99.	LED module with integrated LED 24 V AC/DC, green, screw terminal, for front plate mounting	3SU1401-1BB40-1AA0		kom	
100.	LED module with integrated LED 24 V AC/DC, red, screw terminal, for front plate mounting	3SU1401-1BB20-1AA0		kom	
101.	Ventilator NMB 15050 VA-24R-FT, 24 V DC	15050VA-24R-FT, C1		kom	
Ukupan iznos ponude bez PDV-a					
Popust					
Ukupan iznos ponude bez PDV-a sa popustom					

Rok isporuke robe: _____

Vremenska Garancija: _____

Paritet: DDP RMU „Banovići“ dd Banovići

Uslovi i način plaćanja: Odgođeno plaćanje 60 dana od dana prijema fakture.

M.P

OVLAŠTENO LICE PONUĐAČA

(potpis)

Napomena:

1. Cijene moraju biti izražene u KM osim inostranih ponuđača koji cijenu ponude izražavaju valutom EUR. Za svaku stavku u ponudi mora se navesti cijena.
2. Cijena ponude se iskazuje bez PDV-a i sadrži sve naknade koje ugovorni organ treba platiti dobavljaču. Ugovorni organ ne smije imati nikakve dodatne troškove osim onih koji su navedeni u ovom obrascu.
3. U slučaju razlike između jediničnih cijena i ukupnog iznosa, ispravka će se izvršiti u skladu sa jediničnim cijenama.
4. Jedinična cijena stavke se ne smatra računskom greškom, odnosno ne može se ispravljati.